








SR Linear Light

# BLAZE SERIES



## SUMMARY

dimension w: 35mm h: 48mm	length S: 236mm M: 476mm L: 956mm	mounting   	housing color  	
IP IP40 IP66	power S: 1W / 7W M: 2W / 13W L: 4W / 26W	beam 15° 20° 30° 45° 20°x40°	color 2700K 4000K 3000K 5000K 3500K	CRI Ra90+ Ra80+

## DIMMING OPTIONS



## ELECTRICAL

Supply voltage: DC24V±1.0V

Power range:

SR Blaze	Power
S	1W / 7W
M	2W / 13W
L	4W / 26W

ESD Protection: contact 4kV, air 8kV

## MECHANICAL

Mounting:



Material: aluminum

Housing color:



IP: IP40 / IP66

## LIFETIME, WARRANTY & COMPLIANCE

Warranty: 3 years

Lifetime: 50,000 hours, L70/B50@ta 35°C

Compliance: CE

## FEATURES

- Elegant linear wall washer design
- High-clarity, low-iron tempered glass
- Superb glare control with 34° cut-off angle
- Integrated voltage regulator
- Built-in humidity stabilizer
- Dual-direction cable entry

## LIGHT OUTPUT

CRI/CCT: 927, 930, 935, 940, 950, 827, 830, 835, 840, 850

Beam angle: 15°, 20°, 30°, 45°, 20°x40°

Luminaire Lumen Output:

SR Blaze @930	15°	20°	30°	45°	20°x40°
S 1W	78	91	84	86	59
M 2W	159	187	171	165	120
L 4W	289	339	311	339	218

SR Blaze @930	15°	20°	30°	45°	20°x40°
S 7W	454	472	486	431	340
M 13W	908	944	971	862	680
L 26W	1817	1889	1942	1725	1360

SR Blaze @830	15°	20°	30°	45°	20°x40°
S 1W	95	100	100	94	79
M 2W	195	203	204	192	160
L 4W	354	369	370	348	292

SR Blaze @830	15°	20°	30°	45°	20°x40°
S 7W	544	556	564	512	436
M 13W	1045	1112	1129	1025	871
L 26W	2090	2224	2257	2049	1742

Optical accessory: honeycomb

## ENVIRONMENT

Ambient temperature: -20°C ... +45°C






Storage temperature: -20°C ... +65°C

Working humidity: 5% to 85%, non-condensing











PHOTOMETRIC

930 15°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>605</td> <td>3244</td> <td>1237</td> <td>6488</td> <td>2248</td> <td>12976</td> <td>0.28</td> </tr> <tr> <td>2</td> <td>151</td> <td>811</td> <td>309</td> <td>1622</td> <td>562</td> <td>3244</td> <td>0.56</td> </tr> <tr> <td>3</td> <td>67</td> <td>360</td> <td>137</td> <td>721</td> <td>250</td> <td>1442</td> <td>0.84</td> </tr> <tr> <td>4</td> <td>38</td> <td>203</td> <td>77</td> <td>442</td> <td>141</td> <td>811</td> <td>1.12</td> </tr> <tr> <td>5</td> <td>24</td> <td>130</td> <td>49</td> <td>283</td> <td>90</td> <td>519</td> <td>1.40</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>605</td> <td>3244</td> <td>1237</td> <td>6488</td> <td>2248</td> <td>12976</td> </tr> </table>	Height (m)	E(lx)						D (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	605	3244	1237	6488	2248	12976	0.28	2	151	811	309	1622	562	3244	0.56	3	67	360	137	721	250	1442	0.84	4	38	203	77	442	141	811	1.12	5	24	130	49	283	90	519	1.40	I (cd)	605	3244	1237	6488	2248	12976						
Height (m)	E(lx)						D (m)																																																																				
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	605	3244	1237	6488	2248	12976	0.28																																																																				
2	151	811	309	1622	562	3244	0.56																																																																				
3	67	360	137	721	250	1442	0.84																																																																				
4	38	203	77	442	141	811	1.12																																																																				
5	24	130	49	283	90	519	1.40																																																																				
I (cd)	605	3244	1237	6488	2248	12976																																																																					
930 20°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>561</td> <td>2984</td> <td>1147</td> <td>5968</td> <td>2084</td> <td>11936</td> <td>0.33</td> </tr> <tr> <td>2</td> <td>140</td> <td>746</td> <td>287</td> <td>1492</td> <td>521</td> <td>2984</td> <td>0.66</td> </tr> <tr> <td>3</td> <td>62</td> <td>332</td> <td>127</td> <td>663</td> <td>232</td> <td>1326</td> <td>0.99</td> </tr> <tr> <td>4</td> <td>35</td> <td>187</td> <td>72</td> <td>373</td> <td>130</td> <td>746</td> <td>1.32</td> </tr> <tr> <td>5</td> <td>22</td> <td>119</td> <td>46</td> <td>239</td> <td>83</td> <td>477</td> <td>1.65</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>561</td> <td>2984</td> <td>1147</td> <td>5968</td> <td>2084</td> <td>11936</td> </tr> </table>	Height (m)	E(lx)						D (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	561	2984	1147	5968	2084	11936	0.33	2	140	746	287	1492	521	2984	0.66	3	62	332	127	663	232	1326	0.99	4	35	187	72	373	130	746	1.32	5	22	119	46	239	83	477	1.65	I (cd)	561	2984	1147	5968	2084	11936						
Height (m)	E(lx)						D (m)																																																																				
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	561	2984	1147	5968	2084	11936	0.33																																																																				
2	140	746	287	1492	521	2984	0.66																																																																				
3	62	332	127	663	232	1326	0.99																																																																				
4	35	187	72	373	130	746	1.32																																																																				
5	22	119	46	239	83	477	1.65																																																																				
I (cd)	561	2984	1147	5968	2084	11936																																																																					
930 30°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>258</td> <td>1485</td> <td>528</td> <td>2970</td> <td>959</td> <td>5940</td> <td>0.55</td> </tr> <tr> <td>2</td> <td>65</td> <td>371</td> <td>132</td> <td>743</td> <td>240</td> <td>1485</td> <td>1.10</td> </tr> <tr> <td>3</td> <td>29</td> <td>165</td> <td>59</td> <td>330</td> <td>107</td> <td>660</td> <td>1.65</td> </tr> <tr> <td>4</td> <td>16</td> <td>93</td> <td>33</td> <td>186</td> <td>60</td> <td>371</td> <td>2.20</td> </tr> <tr> <td>5</td> <td>10</td> <td>59</td> <td>21</td> <td>119</td> <td>38</td> <td>238</td> <td>2.75</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>258</td> <td>1485</td> <td>528</td> <td>2970</td> <td>959</td> <td>5940</td> </tr> </table>	Height (m)	E(lx)						D (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	258	1485	528	2970	959	5940	0.55	2	65	371	132	743	240	1485	1.10	3	29	165	59	330	107	660	1.65	4	16	93	33	186	60	371	2.20	5	10	59	21	119	38	238	2.75	I (cd)	258	1485	528	2970	959	5940						
Height (m)	E(lx)						D (m)																																																																				
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	258	1485	528	2970	959	5940	0.55																																																																				
2	65	371	132	743	240	1485	1.10																																																																				
3	29	165	59	330	107	660	1.65																																																																				
4	16	93	33	186	60	371	2.20																																																																				
5	10	59	21	119	38	238	2.75																																																																				
I (cd)	258	1485	528	2970	959	5940																																																																					
930 45°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>130</td> <td>639</td> <td>259</td> <td>1278</td> <td>527</td> <td>2556</td> <td>0.84</td> </tr> <tr> <td>2</td> <td>33</td> <td>160</td> <td>65</td> <td>320</td> <td>132</td> <td>639</td> <td>1.68</td> </tr> <tr> <td>3</td> <td>14</td> <td>71</td> <td>29</td> <td>142</td> <td>59</td> <td>284</td> <td>2.52</td> </tr> <tr> <td>4</td> <td>8</td> <td>40</td> <td>16</td> <td>80</td> <td>33</td> <td>160</td> <td>3.36</td> </tr> <tr> <td>5</td> <td>5</td> <td>26</td> <td>10</td> <td>51</td> <td>21</td> <td>102</td> <td>4.20</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>258</td> <td>1485</td> <td>528</td> <td>2970</td> <td>959</td> <td>5940</td> </tr> </table>	Height (m)	E(lx)						D (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	130	639	259	1278	527	2556	0.84	2	33	160	65	320	132	639	1.68	3	14	71	29	142	59	284	2.52	4	8	40	16	80	33	160	3.36	5	5	26	10	51	21	102	4.20	I (cd)	258	1485	528	2970	959	5940						
Height (m)	E(lx)						D (m)																																																																				
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	130	639	259	1278	527	2556	0.84																																																																				
2	33	160	65	320	132	639	1.68																																																																				
3	14	71	29	142	59	284	2.52																																																																				
4	8	40	16	80	33	160	3.36																																																																				
5	5	26	10	51	21	102	4.20																																																																				
I (cd)	258	1485	528	2970	959	5940																																																																					
930 20°x40°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D1 (m)</th> <th rowspan="3">D2 (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>192</td> <td>1101</td> <td>392</td> <td>2202</td> <td>712</td> <td>4404</td> <td>0.34</td> <td>0.72</td> </tr> <tr> <td>2</td> <td>48</td> <td>275</td> <td>98</td> <td>551</td> <td>178</td> <td>1101</td> <td>0.68</td> <td>1.44</td> </tr> <tr> <td>3</td> <td>21</td> <td>122</td> <td>44</td> <td>245</td> <td>79</td> <td>489</td> <td>1.02</td> <td>2.16</td> </tr> <tr> <td>4</td> <td>12</td> <td>69</td> <td>24</td> <td>138</td> <td>44</td> <td>275</td> <td>1.36</td> <td>2.88</td> </tr> <tr> <td>5</td> <td>8</td> <td>44</td> <td>16</td> <td>88</td> <td>28</td> <td>176</td> <td>1.70</td> <td>3.60</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>192</td> <td>1101</td> <td>392</td> <td>2202</td> <td>712</td> <td>4404</td> </tr> </table>	Height (m)	E(lx)						D1 (m)	D2 (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	192	1101	392	2202	712	4404	0.34	0.72	2	48	275	98	551	178	1101	0.68	1.44	3	21	122	44	245	79	489	1.02	2.16	4	12	69	24	138	44	275	1.36	2.88	5	8	44	16	88	28	176	1.70	3.60	I (cd)	192	1101	392	2202	712	4404
Height (m)	E(lx)						D1 (m)	D2 (m)																																																																			
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	192	1101	392	2202	712	4404	0.34	0.72																																																																			
2	48	275	98	551	178	1101	0.68	1.44																																																																			
3	21	122	44	245	79	489	1.02	2.16																																																																			
4	12	69	24	138	44	275	1.36	2.88																																																																			
5	8	44	16	88	28	176	1.70	3.60																																																																			
I (cd)	192	1101	392	2202	712	4404																																																																					



830 15°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>615</td> <td>3438</td> <td>1258</td> <td>6875</td> <td>2285</td> <td>13750</td> <td>0.28</td> </tr> <tr> <td>2</td> <td>154</td> <td>859</td> <td>314</td> <td>1719</td> <td>571</td> <td>3438</td> <td>0.56</td> </tr> <tr> <td>3</td> <td>68</td> <td>382</td> <td>140</td> <td>764</td> <td>254</td> <td>1528</td> <td>0.84</td> </tr> <tr> <td>4</td> <td>38</td> <td>215</td> <td>79</td> <td>430</td> <td>143</td> <td>859</td> <td>1.12</td> </tr> <tr> <td>5</td> <td>25</td> <td>138</td> <td>50</td> <td>275</td> <td>91</td> <td>550</td> <td>1.40</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>615</td> <td>3438</td> <td>1258</td> <td>6875</td> <td>2285</td> <td>13750</td> </tr> </table>	Height (m)	E(lx)						D (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	615	3438	1258	6875	2285	13750	0.28	2	154	859	314	1719	571	3438	0.56	3	68	382	140	764	254	1528	0.84	4	38	215	79	430	143	859	1.12	5	25	138	50	275	91	550	1.40	I (cd)	615	3438	1258	6875	2285	13750						
Height (m)	E(lx)						D (m)																																																																				
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	615	3438	1258	6875	2285	13750	0.28																																																																				
2	154	859	314	1719	571	3438	0.56																																																																				
3	68	382	140	764	254	1528	0.84																																																																				
4	38	215	79	430	143	859	1.12																																																																				
5	25	138	50	275	91	550	1.40																																																																				
I (cd)	615	3438	1258	6875	2285	13750																																																																					
830 20°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>564</td> <td>3028</td> <td>1153</td> <td>6417</td> <td>2095</td> <td>12833</td> <td>0.33</td> </tr> <tr> <td>2</td> <td>141</td> <td>802</td> <td>288</td> <td>1604</td> <td>524</td> <td>3208</td> <td>0.66</td> </tr> <tr> <td>3</td> <td>63</td> <td>356</td> <td>128</td> <td>713</td> <td>233</td> <td>1426</td> <td>0.99</td> </tr> <tr> <td>4</td> <td>35</td> <td>201</td> <td>72</td> <td>401</td> <td>131</td> <td>802</td> <td>1.32</td> </tr> <tr> <td>5</td> <td>23</td> <td>128</td> <td>46</td> <td>257</td> <td>84</td> <td>513</td> <td>1.65</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>564</td> <td>3028</td> <td>1153</td> <td>6417</td> <td>2095</td> <td>12833</td> </tr> </table>	Height (m)	E(lx)						D (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	564	3028	1153	6417	2095	12833	0.33	2	141	802	288	1604	524	3208	0.66	3	63	356	128	713	233	1426	0.99	4	35	201	72	401	131	802	1.32	5	23	128	46	257	84	513	1.65	I (cd)	564	3028	1153	6417	2095	12833						
Height (m)	E(lx)						D (m)																																																																				
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	564	3028	1153	6417	2095	12833	0.33																																																																				
2	141	802	288	1604	524	3208	0.66																																																																				
3	63	356	128	713	233	1426	0.99																																																																				
4	35	201	72	401	131	802	1.32																																																																				
5	23	128	46	257	84	513	1.65																																																																				
I (cd)	564	3028	1153	6417	2095	12833																																																																					
830 30°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>281</td> <td>1584</td> <td>574</td> <td>3168</td> <td>1044</td> <td>6336</td> <td>0.55</td> </tr> <tr> <td>2</td> <td>70</td> <td>396</td> <td>144</td> <td>792</td> <td>261</td> <td>1584</td> <td>1.10</td> </tr> <tr> <td>3</td> <td>31</td> <td>176</td> <td>64</td> <td>352</td> <td>116</td> <td>704</td> <td>1.65</td> </tr> <tr> <td>4</td> <td>18</td> <td>99</td> <td>36</td> <td>198</td> <td>65</td> <td>396</td> <td>2.20</td> </tr> <tr> <td>5</td> <td>11</td> <td>63</td> <td>23</td> <td>127</td> <td>42</td> <td>253</td> <td>2.75</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>281</td> <td>1584</td> <td>574</td> <td>3168</td> <td>1044</td> <td>6336</td> </tr> </table>	Height (m)	E(lx)						D (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	281	1584	574	3168	1044	6336	0.55	2	70	396	144	792	261	1584	1.10	3	31	176	64	352	116	704	1.65	4	18	99	36	198	65	396	2.20	5	11	63	23	127	42	253	2.75	I (cd)	281	1584	574	3168	1044	6336						
Height (m)	E(lx)						D (m)																																																																				
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	281	1584	574	3168	1044	6336	0.55																																																																				
2	70	396	144	792	261	1584	1.10																																																																				
3	31	176	64	352	116	704	1.65																																																																				
4	18	99	36	198	65	396	2.20																																																																				
5	11	63	23	127	42	253	2.75																																																																				
I (cd)	281	1584	574	3168	1044	6336																																																																					
830 45°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>155</td> <td>842</td> <td>317</td> <td>1684</td> <td>575</td> <td>3367</td> <td>0.84</td> </tr> <tr> <td>2</td> <td>39</td> <td>210</td> <td>79</td> <td>421</td> <td>144</td> <td>842</td> <td>1.68</td> </tr> <tr> <td>3</td> <td>17</td> <td>94</td> <td>35</td> <td>187</td> <td>64</td> <td>374</td> <td>2.52</td> </tr> <tr> <td>4</td> <td>10</td> <td>53</td> <td>20</td> <td>105</td> <td>36</td> <td>210</td> <td>3.36</td> </tr> <tr> <td>5</td> <td>6</td> <td>34</td> <td>13</td> <td>67</td> <td>23</td> <td>135</td> <td>4.20</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>155</td> <td>842</td> <td>317</td> <td>1684</td> <td>575</td> <td>3367</td> </tr> </table>	Height (m)	E(lx)						D (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	155	842	317	1684	575	3367	0.84	2	39	210	79	421	144	842	1.68	3	17	94	35	187	64	374	2.52	4	10	53	20	105	36	210	3.36	5	6	34	13	67	23	135	4.20	I (cd)	155	842	317	1684	575	3367						
Height (m)	E(lx)						D (m)																																																																				
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	155	842	317	1684	575	3367	0.84																																																																				
2	39	210	79	421	144	842	1.68																																																																				
3	17	94	35	187	64	374	2.52																																																																				
4	10	53	20	105	36	210	3.36																																																																				
5	6	34	13	67	23	135	4.20																																																																				
I (cd)	155	842	317	1684	575	3367																																																																					
830 20°x40°		<table border="1"> <thead> <tr> <th rowspan="3">Height (m)</th> <th colspan="6">E(lx)</th> <th rowspan="3">D1 (m)</th> <th rowspan="3">D2 (m)</th> </tr> <tr> <th colspan="2">S</th> <th colspan="2">M</th> <th colspan="2">L</th> </tr> <tr> <th>1W</th> <th>7W</th> <th>2W</th> <th>13W</th> <th>4W</th> <th>26W</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>229</td> <td>1307</td> <td>469</td> <td>2614</td> <td>852</td> <td>5227</td> <td>0.34</td> <td>0.72</td> </tr> <tr> <td>2</td> <td>57</td> <td>327</td> <td>117</td> <td>653</td> <td>213</td> <td>1307</td> <td>0.68</td> <td>1.44</td> </tr> <tr> <td>3</td> <td>25</td> <td>145</td> <td>52</td> <td>290</td> <td>95</td> <td>581</td> <td>1.02</td> <td>2.16</td> </tr> <tr> <td>4</td> <td>14</td> <td>82</td> <td>29</td> <td>163</td> <td>53</td> <td>327</td> <td>1.36</td> <td>2.88</td> </tr> <tr> <td>5</td> <td>9</td> <td>52</td> <td>19</td> <td>105</td> <td>34</td> <td>209</td> <td>1.70</td> <td>3.60</td> </tr> </tbody> </table> <table border="1"> <tr> <td>I (cd)</td> <td>229</td> <td>1307</td> <td>469</td> <td>2614</td> <td>852</td> <td>5227</td> </tr> </table>	Height (m)	E(lx)						D1 (m)	D2 (m)	S		M		L		1W	7W	2W	13W	4W	26W	1	229	1307	469	2614	852	5227	0.34	0.72	2	57	327	117	653	213	1307	0.68	1.44	3	25	145	52	290	95	581	1.02	2.16	4	14	82	29	163	53	327	1.36	2.88	5	9	52	19	105	34	209	1.70	3.60	I (cd)	229	1307	469	2614	852	5227
Height (m)	E(lx)						D1 (m)	D2 (m)																																																																			
	S			M		L																																																																					
	1W	7W	2W	13W	4W	26W																																																																					
1	229	1307	469	2614	852	5227	0.34	0.72																																																																			
2	57	327	117	653	213	1307	0.68	1.44																																																																			
3	25	145	52	290	95	581	1.02	2.16																																																																			
4	14	82	29	163	53	327	1.36	2.88																																																																			
5	9	52	19	105	34	209	1.70	3.60																																																																			
I (cd)	229	1307	469	2614	852	5227																																																																					

## DIMENSIONS



SR Blaze	h (mm)	w (mm)	l (mm)
S	48	35	236
M			476
L			956

## OPTICAL ACCESSORIES

honeycomb (HC)



## MOUNTING OPTIONS

surface mount (SFM)




adjustable bracket (ADJ)




magnetic mount (MAG)



**WIRING**



**CONNECTIONS**



# SR Linear Light BLAZE SERIES



## ORDERING INFORMATION

SR Blaze Outdoor Series	Model	Power	CRI/CCT	Beam Angle ^	Housing Color *	IP	Optical Accessories#	Cabling†	Mounting‡
SRBLAZE	S	1W 7W	927 930 935 940 950 827 830 835 840 850	NRB MDB WDB FLD ELL	B W	66	HC NA	INC IOC	SFM ADJ MAG
	M	2W 13W							
	L	4W 26W							

Example: SRBLAZE-S-7W-930-ELL-B-66-NA-INC-SFM refers to SR Linear Light Blaze Outdoor Series, S model, 7W, CRI Ra90+, CCT 3000K, beam angle 20°x40°, IP66, input with connector and surface mounting.

SR Blaze Indoor Series	Model	Power	CRI/CCT	Beam Angle ^	Housing Color *	IP	Optical Accessories#	Cabling†	Mounting‡
SRBLAZE	S	1W 7W	927 930 935 940 950 827 830 835 840 850	NRB MDB WDB FLD ELL	B W	40	HC NA	INBW IOBW	SFM ADJ MAG
	M	2W 13W							
	L	4W 26W							

Example: SRBLAZE-S-7W-930-WDB-B-40-NA-INBW-MAG refers to SR Linear Light Blaze Indoor Series, S model, 7W, CRI Ra90+, CCT 3000K, beam angle 30°, IP40, input with bare wire and magnetic catch mounting.

Beam Angle ^	Description
NRB	15°
MDB	20°
WDB	30°
FLD	45°
ELL	20°x40°

Cabling Options†	Description
INBW	input with bare wires (300mm)
INC	input with male connector
IOBW	input and output with bare wires (300mm)
IOC	input with male connector and output with female connector

Housing Color Options *	Color Description
B	black
W	white

Mounting‡	Description
SFM	surface mount
ADJ	adjustable bracket
MAG	magnetic mount

Optical Accessories†	Description
HC	honeycomb
NA	no accessory

Accessories	Description
SRBLAZE STARTER 1M	starter cable (1m) with female connector
SRBLAZE EX 1M	extension cable (1m) with 1x male and 1x female connectors

LED Drivers	Description
SAV-060N024X02HQA	60W 24V Constant Voltage LED Driver
SAV-096N024X400Q	96W 24V Constant Voltage LED Driver
SAV-150N024X625Q	150W 24V Constant Voltage LED Driver

Note: System design will vary depending on actual project configuration. Please consult your local sales support for details in length in series connection, connecting cable type and lengths.

**Disclaimer:** Data may vary due to equipment tolerances. The manufacturer reserves the right to modify information published in this document—including, but not limited to, specifications and product descriptions—at any time without notice.